

EASTEX

58

6 : 6 🖉

12

First in Quality. Built to Last.

VALUE SERIES COMBO UNIT AUTO L-SEALERS PERFORMANCE SERIES L-SEALERS SHRINK TUNNELS PROFESSIONAL SERIES

L-SEALERS AUTO L-SEALERS SHRINK TUNNELS AUTO BUNDLERS BUNDLING TUNNELS EASTEY CONVEYORS



L-SEALERS



RELIABLE SEMI-AUTOMATIC L-SEALING

L-SEALERS

EVERLASTING SEMI-AUTOMATIC L-SEALING

EASTEY Professional Series L-Sealers are the ultimate

workhorse for your most abusive sealing applications.

PROFESSIONAL SERIES

EASTEY Performance Series L-Sealers offer the durability needed to handle a variety of applications at a cost-effective price.

MODELS

EM1622T, EM1622TK, EM1636T, EM1636TK

STANDARD FEATURES

- Designed to seal polyolefin, polyethylene, and PVC shrink films
- All-welded main frame from 12 gauge steel
- Seal head equipped with gas shock head return
- Dual locking magnet clamps apply consistent pressure across seal bar



TUNNFIS

SHRINK TUNNELS MODELS **PERFORMANCE SERIES**

RELIABLE SHRINK PERFORMANCE

EASTEY Performance Series Shrink Tunnels offer the reliability needed to provide positive shrinking of a wide range of films at a cost-effective price.

SHRINK TUNNELS

PROFESSIONAL SERIES

applications.

EVERLASTING SHRINK PERFORMANCE

EASTEY Professional Series Shrink Tunnels are the

ultimate workhorse for your most abusive shrink

- and PVC shrink films • All-welded main frame from 12 gauge steel
- idler shafts
- Adjustable digital solid state temperature control for a variety of films

MODELS

STANDARD FEATURES

- Designed to shrink most polyolefin, polyethylene, and PVC shrink films
- All-welded main frame from 12 gauge steel • Live roller, "dead" roller, or stainless steel mesh belt
- conveyor standard; optional plastic belt conveyor • Sealed bearings (not bushings) on drive and idler
- shafts
- a variety of films

MODELS

STANDARD FEATURES

- - shrinking of film
 - control for a variety of films
 - shrinking

MODELS

EM2016T(K), EM2028T(K), EM2040T(K), EM2050T(K), EM2070TK, EM2080TK, EM20100TK, EM3040T(K), EM3050T(K), EM3070TK, EM3080TK, EM30100TK, EM4040T(K), EM4050T(K), EM4070TK, EM4080TK, EM40100TK, EM5050TK, EM5070TK, EM5080TK,

STANDARD FEATURES

EM50100TK

- Designed to seal polyolefin, polyethylene, and PVC shrink films
- All-welded main frame from 1/4" cold rolled steel
- Seal head equipped with gas shock head return
- pressure across seal bar



AUTO L-SEALER PROFESSIONAL SERIES

RELIABLE AUTOMATIC L-SEALING

EASTEY Professional Series Automatic L-Sealers offer the durability of functionality needed to handle a variety of applications efficiently.



MODELS EA3050TK, EA3070TK, EA30100TK, EA4050TK, EA4070TK, EA40100TK, EA5050TK, EA5070TK,

STANDARD FEATURES

- Designed to seal most polyolefin, polyethylene, and PVC shrink films
- Side seal size 30", 40" or 50"; front seal size 50", 70", or 100"
- Side mounted Power film unwind ensures proper tension of film
- All-welded main frame from 1/4" cold rolled steel



BUNDLING TUNNELS PROFESSIONAL SERIES

RELIABLE SHRINK PERFORMANCE

EASTEY ETB Series Bundling Tunnels offer the reliability needed to provide positive shrinking and are designed specifically for bundling applications.





- Dual locking magnet clamps apply consistent
- Stainless steel film clamps



EA50100TK

BUNDLERS

ET1608-30, ET1610-36, ET1610-48, ET2010-36

STANDARD FEATURES

- · Designed to shrink most polyolefin, polyethylene,
- · Live roller or stainless steel mesh belt conveyors; optional "dead" roller conveyor for polyethylene • Sealed bearings (not bushings) on drive and



- Large chamber for faster production time
- Adjustable digital solid state temperature control for



AUTOMATIC BUNDLING PROFESSIONAL SERIES

SMALL FOOTPRINT AUTO BUNDLING

EASTEY EB25A Automatic Bundler is designed and built to give you all the features needed for positive sealing a wide variety of films.

MODELS EB25A

STANDARD FEATURES

- Designed to seal most polyolefin, polyethylene, and PVC shrink films
- Small footprint 61.5"L x 41.8"W x 71.3"H
- 25" wide hot knife seal provides a consistent "bulls-eye"closure
- Upper and lower powered film unwind for smooth feed of film
- 12" product pass through height accommodates 11" tall product
- Fixed lower seal bar provides a clean consistent seal and accommodates random height products



AUTOMATIC BUNDLING PROFESSIONAL SERIES

RELIABLE AUTOMATIC BUNDLING

EASTEY Automatic Bundlers offer the reliability needed to provide a "bull's-eye closure" on trays, individual, or multi-packed products with or without operator involvement.

MODELS

EB35A, EB50A, EB70A

STANDARD FEATURES

- Designed to seal polyethylene films
- 35", 50", and 70" wide hot knife seal system
- 22" adjustable product pass through height
- Infeed product guides where necessary
- Upper and lower powered film unwind for smooth feed of film
- Film loading from left or right side
- All-welded main frame from 1/4" cold rolled steel



PRODUCT TRANSPORT

ETB2416, ETB2420, ETB3616, ETB3620, ETB4816, ETB4820, ETB5616, ETB5620, ETB7016, ETB7020

• Designed to seal polyethylene film • All-welded main frame from 12 gauge steel • 78" chamber length to ensure proper

• High temperature belting resists wear Adjustable digital solid state temperature

• Four-directional air flow provides positive



EASTEY CONVEYORS VARIABLE SPEED CONVEYORS

CONVENIENT PRODUCT TRANSPORT

EASTEY Conveyors are an ideal solution for case coding and product transport.

MODELS

EC1248, EC1848, EC2472

STANDARD FEATURES

- Variable speed drive
- Seamless self-tracking belt
- Small space-saving footprint
- Pre-drilled mounting plate for printer brackets (standard conveyor includes one plate)
- 1/4" cold rolled steel
- Adjustable conveyor height
- Safety cover over pinch points
- Shelf for various storage







VALUE SERIES



RELIABLE SEMI-AUTOMATIC L-SEALING

EASTEY Value Series Combo Unit offers a L-sealer and shrink tunnel on a common frame for simple setup, perfect alignment and mobility within the plant.

MODELS VS1620

STANDARD FEATURES

- Designed to seal polyolefin or PVC shrink films
- All-welded main frame from 12 gauge steel
- Seal head equipped with gas shock head return
- Dual locking magnet clamps apply consistent pressure across seal bar
- Automatic cycle timing with adjustable dwell time
- Solid state temperature control adjustable for a variety of films



AUTO L-SEALER VALUE SERIES

RELIABLE AUTOMATIC L-SEALING

EASTEY Professional Series Automatic L-Sealers offer the durability of functionality needed to handle a variety of applications efficiently.

MODELS

VSA1721, VSA2530

STANDARD FEATURES

- Designed to seal most polyolefin, polyethylene, and PVC shrink films
- All-welded main frame from 12 gauge cold rolled steel
- Soft start infeed and outfeed conveyors to reduce shifting of products
- Variable speed infeed and outfeed conveyors
- Motorized seal height adjustment for various product sizes
- Film loading from left or right side



SPARE PARTS











Eastey offers a complete list of replacement parts for your existing shrink packaging equipment. Most of which are stocked and ready for same day shipment.

- 1. Tempature Controls
- 2. Hot Knife Replacements
- 3. Conveyor Motors
- 4. Casters (Stainless Steel)
- 5. Heater Banks
- 6. Blower Wheels

